



一般砥石

GC 砥石シリーズ

標準品

超硬合金、石材、セラミックス、ガラスなど用砥石



外径	製品コード	品名	寸法	ケース入り数
150φ	214CH34CS	GC 120 H	150 × 13 × 12.70	30
	214CH35CS	GC 120 H	150 × 16 × 12.70	26
	214CH36CS	GC 120 H	150 × 19 × 12.70	24
205φ	214CG44DS	GC 120 G	205 × 13 × 15.88	15
	214CH44DS	GC 120 H	205 × 13 × 15.88	15
	214CH44HS	GC 120 H	205 × 13 × 25.40	15
	214CJ44DS	GC 120 J	205 × 13 × 15.88	15
	2148H46DS	GC 80 H	205 × 19 × 15.88	12
	2148H46HS	GC 80 H	205 × 19 × 25.40	12
	2148I46DS	GC 80 I	205 × 19 × 15.88	12
	214BH46DS	GC 100 H	205 × 19 × 15.88	12
	214BH46HS	GC 100 H	205 × 19 × 25.40	12
	214CH46DS	GC 120 H	205 × 19 × 15.88	12
	214CH46HS	GC 120 H	205 × 19 × 25.40	12
	214CI46DS	GC 120 I	205 × 19 × 15.88	12
	214CI46HS	GC 120 I	205 × 19 × 25.40	12
	214CJ46DS	GC 120 J	205 × 19 × 15.88	12
	214CJ46HS	GC 120 J	205 × 19 × 25.40	12
	2148H47DS	GC 80 H	205 × 25 × 15.88	10
214CH47DS	GC 120 H	205 × 25 × 15.88	10	
214CH47HS	GC 120 H	205 × 25 × 25.40	10	
255φ	214CH56HS	GC 120 H	255 × 19 × 25.40	12
	2148H57ES	GC 80 H	255 × 25 × 19.05	10
	2148H57HS	GC 80 H	255 × 25 × 25.40	10
	214CH57ES	GC 120 H	255 × 25 × 19.05	10
	214CH57HS	GC 120 H	255 × 25 × 25.40	10
	214CI57ES	GC 120 I	255 × 25 × 19.05	10
	214CI57HS	GC 120 I	255 × 25 × 25.40	10
305φ	214CH67HS	GC 120 H	305 × 25 × 25.40	6
	214CI67HS	GC 120 I	305 × 25 × 25.40	6
	2148H68HS	GC 80 H	305 × 32 × 25.40	5
	2148I68HS	GC 80 I	305 × 32 × 25.40	5
	214BH68HS	GC 100 H	305 × 32 × 25.40	5
	214CH68HS	GC 120 H	305 × 32 × 25.40	5
	214CI68HS	GC 120 I	305 × 32 × 25.40	5
	214CH69HS	GC 120 H	305 × 38 × 25.40	5
355φ	214CH7CJS	GC 120 H	355 × 50 × 31.75	2

※一部即納対応ができない製品もございます



株式会社 TKX

〒543-0011 大阪府大阪市天王寺区清水谷町 5 番 16 号

TEL 06-6768-0681 (代表) FAX 06-6768-4000

URL <http://www.tkx.co.jp>

■ご用命は